

RE: EXTERNAL: excell question

Ex. 4 - CBI to: Richard Rupert

Ex. 4 - CBI @Imco.com>

From: To:

Richard Rupert/R3/USEPA/US

History:

This message has been replied to.

Attached is a spreadsheet summary of the Dimock YSI data provided by Suddha.

Thanks,

Ex. 4 - CBI

From: Richard Rupert [Rupert.Richard@epamail.epa.gov]
Sent: Wednesday, March 14, 2012 5:58 AM
To: Ex. 4 - CBI

Subject: RE: EXTERNAL: excell question

Sorry [Ex.4-CB] I thought it was you who showed me how to turn of the boxes....

I tried you directions below and they didn't work... don't worry about it. they are just a minor annoyance..

03/14/2012 02:03 PM

Richard Rupert, On-Scene Coordinator U.S. EPA 1650 Arch Street - 3HS31 Philadelphia, PA 19103 (215) 814-3463 - office 215 514-8773 - mobile rupert.richard@epa.gov

"The commander in the field is always right and the rear echelon is wrong, unless proved otherwise." Colin Powell

From: Ex. 4 - CBI

To: Richard Rupert/R3/USEPA/US

Date: 03/13/2012 06:49 PM

Subject: RE: EXTERNAL: excell question

Rich,

Not sure it was me that showed you how to do it, but think I know how to turn it off. First highlight Row 1 and the click on "Data" in the header on Excel. Under Data Tools you should see a Data Validation box. Under the "Settings" menu you should see the word "Allow:" with a drop down menu below it. Click on drop down menu and select "Any Value", it is probably set to the word "List" currently.

lmco.com>

Ex. 4 - CBI

Lockheed Martin SERAS 2890 Woodbridge Ave.

Edison, NJ 08837

Ex. 4 - CBI

From: Richard Rupert [mailto:Rupert.Richard@epamail.epa.gov]

Sent: Tuesday, March 13, 2012 3:46 PM

Ex. 4 - CBI

Subject: EXTERNAL: excert question

Ex.4-CB| you showed my how to turn off the little arrow in the box last week and I have forgotten how this was down. Could you please tell me again? thanks


Rich

I am talking about the small box in the lower right hand corner of the boxes in row 1... [cid: 1 0844316808442C6C0036CF59852579C1]

Richard Rupert,
On-Scene Coordinator
U.S. EPA
1650 Arch Street - 3HS31
Philadelphia, PA 19103
(215) 814-3463 - office
215 514-8773 - mobile
rupert.richard@epa.gov<mailto:rupert.richard@epa.gov>

"The commander in the field is always right and the rear echelon is wrong, unless proved otherwise." Colin Powell

DIM0251330



DIM0251330 DIM0251331